

WET SEPARATION MACHINES – MANUAL

Series Unitrenn

HIGHLIGHTS

- Manual version with hand lever
- HA version with hydropneumatic feed
- HA version with colour touch display and cutting pressure / motor load indicator



TECHNICAL DATA AT A GLANCE

Machine type	 mm	 m/sec.	 mm	 mm
Unitrenn 250	250	60	80	70x60
Unitrenn 350	350	60	120	120x60
Unitrenn 410	410	60	140	160x100
Unitrenn 410 Power Edition	410	60	140	160x100
Unitrenn 515	510	50	170	250x100

Further information on the machine series and numerous accessories can be found on our website:
www.wagner-maschinen.de/en/trennjaeger-saws/cut-off-machines

WET SEPARATION MACHINES MANUAL 250/350/410/410 POWER EDITION/515



ALL HIGHLIGHTS AT A GLANCE

- Manual version with hand lever
- Semiautomatic version with hydropneumatic feed
- Semiautomatic version with colour touch panel and cutting pressure and motor load indicator
- Reference drive with separate press of a button
- Rapid traverse pre-adjustment with separate press of a button
- Full enclosure with fold-up hood
- Horizontal double-material vices

Further information on the machine series and numerous accessories can be found on our website:
www.wagner-maschinen.de/en/trennjaeger-saws/cut-off-machines

TECHNICAL DATA (Sample offer see in the following part after page 108)

- Power 3.3 / 5.5 / 7.5 / 11 / 12.5 kW
- Cooling water 80 / 80 / 80 / 80 / 100

STANDARD EQUIPMENT

- Complete electrical equipment 400 V / 50 Hz
- Complete coolant system
- Semiautomatic version with oscillation for a quick and even cutting
- Operating tool
- Documentation
- CE standard

SPECIAL EQUIPMENT

- Horizontal prism clamping system on both sides
- Electronic speed control
- Automatic oscillation
- Oscillation can be switched off with a button
- Paper band filter 150 l, 30 l/min, fleece 400 mm (Unitrenn 250)
- Paper band filter 180 l, 50 l/min, fleece 500 mm (Unitrenn 350 / 410)
- High-performance dust extractor on the rear side of the machine
- Special clamping device for materials that are not plane-parallel
- Cutting depth limitation with a button
- Exact Stop short measuring stop with digital readout and fine scaling 1/10 mm
- Paper band filter, laterally in the machine frame
- Cooling water tank with screen on castors laterally in the machine frame

DETAIL PICTURES



Lateral coolant system with pump on castors



Option with paper band filter instead of tray on castors with removable screen



Double horizontal clamping system

Further information on the machine series and numerous accessories can be found on our website:
www.wagner-maschinen.de/en/trennjaeger-saws/cut-off-machines

We reserve the right to make design changes in the course of technical improvements. Illustrations, dimensions and weights are not bin