



# TRENNJAEGER

## COLUMN-GUIDED BAND SAWS – SEMAUTOMATIC Series TEBA

### HIGHLIGHTS

- Cutting off base plates in 3D prints with adhesive procedures
- Cutting off 3D base plates
- Base frame with coolant system



### TECHNICAL DATA AT A GLANCE

Machine type	mm	m/min.	90°	45°
<b>TEBA 300 HA-L/3D</b>	3.150 x 27 x 0,9	20-130	300/300 x 300/ 300 x 360	
<b>TEBA 300 A-NC 2S</b>	3.150 x 27 x 0,9	15-90	300/290 x 290/ 360 x 295	245/245 x 245/ 245 x 250

Further information on the machine series and numerous accessories can be found on our website:  
[www.wagner-maschinen.de/en/trennjaeger-saws/band-saws](http://www.wagner-maschinen.de/en/trennjaeger-saws/band-saws)



# TRENNJAEGER

## COLUMN-GUIDED BAND SAWS – SEMAUTOMATIC TEBA 300 HA-L/3D/TEBA 300A-NC 2S



### ALL HIGHLIGHTS AT A GLANCE

- Cutting off base plates in 3D prints with adhesive procedures
- Cutting off 3D base plates
- Base frame with coolant system
- Vertical plate adjustable with handwheel
- Heavy cast saw frame
- Heavy cast machine table
- Infinitely variable cutting speed
- Infinitely variable feed

Further information on the machine series and numerous accessories can be found on our website:  
[www.wagner-maschinen.de/en/trennjaeger-saws/band-saws](http://www.wagner-maschinen.de/en/trennjaeger-saws/band-saws)

# TEBA 300 HA-L/3D

## TECHNICAL DATA

- Motor 2,2 kW
- Working height 900 mm
- Weight 500 kg
- Dimensions (LxBxH)  
1.900x950x1.900 mm

## STANDARD EQUIPMENT

- Solid closed frame construction
- For stability
- Double linear system for consistent feed
- Handwheel with back and forth adjustment
- Band guides adjustable by HM plates
- Heavy cast saw frame
- Heavy cast machine table
- Heavy support plate, fold-up


- Support plate depth adjustment with handwheel
- Infinitely variable cutting speed
- Infinitely variable feed
- Base frame with coolant system
- Complete electrical equipment 400 V / 50 Hz
- Operating tools and operational instructions
- CE standard

## SPECIAL EQUIPMENT

- Halogen lamp LA 50
- Cutting line light
- 5 l coolant concentrate
- Minimum greasing system with 1.6-m hose

- 5 l disposable container for micro-spray
- Chip conveyor
- Band tension indicator red/green

## DETAIL PICTURES



Handwheel for cutting depth adjustment



Extraction box



Band tension indicator

Further information on the machine series and numerous accessories can be found on our website:  
[www.wagner-maschinen.de/en/trennjaeger-saws/band-saws](http://www.wagner-maschinen.de/en/trennjaeger-saws/band-saws)

We reserve the right to make design changes in the course of technical improvements. Illustrations, dimensions and weights are not binding.