



# TRENNJAEGER

## SWIVELLING FRAME BAND SAWS Series TEBA

### HIGHLIGHTS

- Compact construction and workshop band saw
- Hard metal guided saw band
- Low space requirement and weight, high performance



### TECHNICAL DATA AT A GLANCE

Machine type	mm	m/min.	90°	45°
<b>TEBA 100 M</b>	1.350 x 13 x 0,65	75	100/90 x 90/100 x 90	65/65 x 65/65 x 90
<b>TEBA 130 M</b>	1.730 x 13 x 0,65	75	130/130 x 130/180 x 110	115/110 x 110/115 x 80
<b>TEBA 130 K</b>	1.730 x 13 x 0,65	40/80	130/130 x 130/170 x 110	120/110 x 110/120 x 70

Further information on the machine series and numerous accessories can be found on our website:  
[www.wagner-maschinen.de/en/trennjaeger-saws/band-saws](http://www.wagner-maschinen.de/en/trennjaeger-saws/band-saws)



# TRENNJAEGER

## SWIVELLING FRAME BAND SAWS – MANUAL/SEMITAUTOMATIC TEBA 100M/130M/130K



### ALL HIGHLIGHTS AT A GLANCE

- Compact construction and workshop band saws
- Hard metal guided saw band
- Low space requirement and weight, high performance
- Saw operating lever with safety circuit

- Bevel sawing from 90° to 45° by infinitely variable swivelling of the sawing unit
- Counter-adjustable fixed stops
- TEBA 130 K is equipped with a stable base frame and a coolant system

Further information on the machine series and numerous accessories can be found on our website:  
<https://www.wagner-maschinen.de/en/trennjaeger-saws/band-saws>

## TECHNICAL DATA

- Cutting performance 90% / 45°
- Full material – round 130 / 120 mm
- Full material – square 130 x 130 / 110 x 110 mm
- Full material – rectangle 170 x 110 / 120 x 70 mm

- Cutting speed 40 / 80 m/min
- Dimensions (LxWxH) 920 x 470 x 1,250 mm
- Net weight 29 / 41 / 102 kg
- Connected load 400 V / 0.55 kW

## STANDARD EQUIPMENT TEBA 100 MOBIL

- Saw band 1,385 x 13 x 0.65 mm
- Complete electrical equipment 230 V / 50 Hz

- Operating tools and operational instructions
- CE standard

## STANDARD EQUIPMENT TEBA 130 MOBIL/ TEBA 130 K

- Saw band 1,730 x 13 x 0.65 mm
- Longitudinal stop 300 mm
- K model with coolant system and base frame (TEBA 130 K)

- Complete electrical equipment 230 V / 50 Hz
- Operating tools and operational instructions
- CE standard

## SPECIAL EQUIPMENT

- Voltage 400 V / 50 Hz
- 5 l coolant concentrate
- Minimum greasing system with 1.6-m hose
- 5 l disposable container for micro-spray

## DETAILBILD



Cast iron machine base



Teba 130 Table machine

Further information on the machine series and numerous accessories can be found on our website:  
[www.wagner-maschinen.de/en/trennjaeger-saws/band-saws](http://www.wagner-maschinen.de/en/trennjaeger-saws/band-saws)

We reserve the right to make design changes in the course of technical improvements. Illustrations, dimensions and weights are not binding.