

# SWIVELLING FRAME BAND SAWS







## Series TEBA

### HIGHLIGHTS

- Motor with flanged gears
- Saw blade guide with hard metal plates on both sides
- Clamping by movable vice left and right



### TECHNICAL DATA AT A GLANCE

Machine type	 mm	 m/min.	 90°	 -45°	 45°	 30°
<b>TEBA 330 DG/ DGHA</b>	3.870x34x1,1	15 - 90	330/ 320x320/ 400x200	250/ 230x230/ 250x170	250/ 225x225/ 240x120	165/ 150x150

Further information on the machine series and numerous accessories can be found on our website:  
[www.wagner-maschinen.de/en/trennjaeger-saws/band-saws](http://www.wagner-maschinen.de/en/trennjaeger-saws/band-saws)

**SWIVELLING FRAME BAND SAWS –  
MANUAL / SEMIAUTOMATIC  
TEBA 330 DG/DGHA**



**ALL HIGHLIGHTS AT A GLANCE**

- Motor with flanged gears
- Saw blade guide with hard metal plates on both sides
- Clamping by movable vice left and right
- Infinitely variable cutting speed 15-90 m/min
- Bevel with scale on both sides
- Control unit with clear touch panel, SD card slot for PLC saving and height measuring of the saw arm
- Infinitely adjustable feed control
- Feed cylinder with flow valve

Further information on the machine series and numerous accessories can be found on our website:  
[www.wagner-maschinen.de/en/trennjaeger-saws/band-saws](http://www.wagner-maschinen.de/en/trennjaeger-saws/band-saws)

## TECHNICAL DATA

- Motor 3,7 kW
- Weight 780 kg
- Dimensions (LxBxH)  
2.100 x 950 x 1.800 mm


## STANDARD EQUIPMENT

- Heavy cast saw frame
- Heavy cast machine table
- Heavy cast rotary table, no sawing in bevels
- Heavy cast material vice
- Infinitely variable cutting speed
- Infinitely variable feed
- Electronic cutting height limitation
- Base frame with coolant system
- Complete electrical equipment 400 V / 50 Hz
- Operating tools and operational instructions
- CE standard

## SPECIAL EQUIPMENT

- Adjustable cutting pressure automatic system
- Hydraulic lifting and lowering
- Band tensioning with pressure gauge
- Electric chip brush
- Halogen lamp LA 50
- Cutting line light
- 5 l coolant concentrate
- Minimum greasing system with 1.6-m hose
- 5 l disposable container for micro-spray

## DETAIL PICTURES



Electronic cutting height limitation



Cast swivelling table



Mobile control panel

Further information on the machine series and numerous accessories can be found on our website:  
[www.wagner-maschinen.de/en/trennjaeger-saws/band-saws](http://www.wagner-maschinen.de/en/trennjaeger-saws/band-saws)

We reserve the right to make design changes in the course of technical improvements. Illustrations, dimensions and weights are not bin